

---

# Test Summary

The following products have been tested by Shanghai WEIPU Chemical Technology Service Co., Ltd as outlined in report(s): WP-20116865-JC-01En; WP-20116865-JC-02En; WP-20116865-JC-03En; WP-20116865-JC-04En; WP-20116865-JC-05En

<b>Product Description</b>	AeraMax Pro
<b>Manufacturer</b>	Fellowes
<b>Test specification</b>	Technical specification for disinfection (2002) 2.1.3
<b>Test Method</b>	Determination of removal efficiency of HCoV 229E following aerosolization of the virus into a 20m <sup>3</sup> environmental test chamber. The device operated at max speed and ionizer ON during test.
<b>Additional SKUs</b>	AeraMax Pro

## DATA

The below table shown are the test summary based on the tested products with the different installed filters.

Report NO.	Product	With the Filters	Antiviral Activity Rate (%)
WP-20116865-JC-01En	AeraMax Pro AM2	Hybrid Filter	>99.99%
WP-20116865-JC-02En	AeraMax Pro AM3/S PC	Pre-filter+Carbonfilter+HEPA filter	>99.99%
WP-20116865-JC-03En	AeraMax Pro AM3/S PC	Pre-filter+Hybrid Filter	>99.99%
WP-20116865-JC-04En	AeraMax Pro AM4/S PC	Pre-filter+Carbonfilter+HEPA filter	>99.99%
WP-20116865-JC-05En	AeraMax Pro AM4/S PC	Pre-filter+Hybrid Filter	>99.99%